

SAFETY DATA SHEET


Revision Date: 03/03/20

This Safety Data Sheet may be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

Section 1: Identification of the Product and of the Company

Product Code	CA-385
Trade Name	Doc Bailey's Leather Black Leather Black
Product Description	Mixture
General Use	Leather Conditioner
Manufacturer	Plesh Contract Packaging
Address	711 Northland Avenue Buffalo, NY 14211
Phone	(716) 883-4000 (8am-4pm M-F)
Fax	(716) 892-1171
Chemtrec	(800) 262-8200 (24 hour)
Outside U.S.	(703) 741-5500

Section 2: Hazards Identification

GHS Hazards	Eye irritant, Category 2B
Signal Word	Warning
Hazard Statement(s)	H302 Harmful if swallowed H320 Causes eye irritation
Pictogram(s)	
Precautionary Statement(s)	P305 +351 +338 P261 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so – continue rinsing. Avoid breathing fume/mist/vapor/spray

Section 3: Composition/Information on Ingredients

Hazardous Components	CAS #
Morpholine	110-91-8
Petroleum Distillate	64742-14-9
Mineral Oil	8042-47-5

The specific chemical identities and/or exact percentage concentration of composition may have been withheld as a trade secret.

VOC Compliant 11/23/04

Section 4: First Aid Measures

Inhalation	Move victim to fresh air. Get medical attention if adverse health effects persist or are severe.
Skin Contact	Wash with soap and water. Rinse thoroughly.
Eye Contact	Rinse with water for 15 minutes. Get medical attention if irritation persists.
Ingestion	Do not induce vomiting. Get medical attention.

Section 5: Firefighting Measures

Hazardous Combustion Products	Possible oxides of carbon.
Firefighting Instructions	Use dry chemical, CO ₂ , water spray (fog), or foam. Do not use water jet.
Firefighting Equipment	Bunker gear and SCBA.

Section 6: Accidental Release Measures

Land Spill	Avoid run off into storm sewers or ditches by containment with sand or absorbent material.
Water Spill	Remove from water with suitable absorbent material.

Section 7: Handling and Storage

Precautions for Safe Handling	Wear eye and skin protection.
Precautions for Safe Storage	Keep from freezing or heating. Store in original container.

Section 8: Exposure Controls/Personal Protection

Engineering Controls	Provide adequate ventilation.
Personal Protective Measures	Wear eye protection. Skin protection is recommended.

Section 9: Physical and Chemical Properties

Appearance	Semi viscous, black cream
Odor	Leather
Odor Threshold	Not available
Vapor Pressure	Not available
Vapor Density	Not available
Specific Gravity	0.84 @ 70°F
pH	8.7 – 9.0
Viscosity	20,000 – 40,000 cps (Brookfield Viscometer: spindle 6 @ 10 rpm @ 70°F)
Weight/Gallon	7.80 lb/gal
Freezing Point	Not available
Boiling Point	Not available
Solubility in Water	Completely
Percent Volatile	Not available
Flash Point and Method	Will not flash
Flammable Limits	Not available
Auto Ignition Temperature	Not available
Decomposition Temperature	Not available
Evaporation Rate	0.1 (n-butyl acetate=1)
Partition Coefficient: n-octanol/water	Not available
VOC%	Not available

Section 10: Stability and Reactivity

Chemical Stability	This product is stable and hazardous polymerization will not occur.
Materials to Avoid	None known
Conditions to Avoid	Heating and freezing
Hazardous Decomposition	None known

Section 11: Toxicological Information

The complete toxicological data for each ingredient is unknown and otherwise beyond the scope of this document.

Section 12: Ecological Information

This product might be harmful to fish and algae.

Section 13: Disposal Considerations

Refer to Sections 5, 6, and 15 for disposal and regulatory information.

Section 14: Transportation Information

Section 15: Regulatory Information

TSCA All components are listed on the TSCA.

CERCLA Mineral Oil Morpholine	Composition (wt%) 5-15 <5
--	-------------------------------------

SARA Title III Petroleum Distillate Mineral Oil	Composition (wt%) <20 5-15	Hazards Fire, acute, and chronic health hazards Acute health hazard
--	---	--

Section 16: Other Information

NFPA Rating Health Hazard-1 Fire-0 Reactivity Hazard-0
 Key: 4=severe, 3=serious, 2=moderate, 1=slight, 0=minimal Disclaimer The information contained herein is based on data considered accurate.

However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.

Vendor assumes no responsibility for injury to vendee or third person. Proximate cause by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.